

Material Safety Data Sheet  
**Romeo Brand Fertilizers**

Manufacture: Romeo Packing Company  
 5053

Emergency Phone: 800 -535-

106 Princeton Ave.  
 Half Moon Bay, CA 94019

Non

-Emergency: 650 -728-3393

January 6, 2003

**I. Material Identification**

Chemical Name: Compound Fertilizer Mix  
 Product Name: Romeo Fertilizer  
 Analysis: 24-14-14

**II. Hazardous Ingredients/Identities**

<u>Material</u>	<u>CAS#</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Potassium Nitrate	7757-79-1	None	None
Ammonium Phosphate 7722	-76-1	None	None
Ammonium Sulfate	7783-20-2	10mg/m <sup>3</sup>	10mg/m <sup>3</sup>
Urea	57-13-6	None	None
Potassium Sulfate	7778-80-5	None	None
Iron EDTA	15708-41-5	None	None
Manganese EDTA	15375-84-5	None	None
Copper EDTA	14025-15-1	None	None
Trisodium Nitrotriacetate	5064-31-3	N/A	N/A
Sodium Borate	1330-43-4	10mg/m <sup>3</sup>	None
Sodium Molybdate	7631-95-0	5mg(Mo)/m <sup>3</sup>	5m g(Mo)/m <sup>3</sup>

**III. First Aid Procedures**

**Ingestion:** Do not induce vomiting; drink warm water or milk. Low toxicity in small amounts. Large amounts may cause nitrate poisoning. Consult a physician.

**Inhalation:** If moderate discomfort to throat or nose, remove to fresh air and support respiration. Call physician if discomfort persists.

**Eyes:** Flush eyes with water for 15 minutes. Call physician if discomfort persists.

**Skin:** Wash with soap and water if aggravation occurs. Call physician if discomfort persists.

**IV. Fire Fighting Measures**

**Extinguishing Media:** Water Spray - material is essentially non-flammable

**Special Fire Fighting Procedures:** Self-contained air supply to protect from oxides of nitrogen.

**Unusual Fire Hazards:** Noxious fumes may form. Oxides of nitrogen. Potassium Nitrate is an oxidizer and therefore increases the intensity of any fire and the possibility of explosion when contaminated with organic reducing agents.

---

**V. Accidental Release Measures**

---

**If Spill Occurs:** If material is uncontaminated, collect into clean container for use. If contaminated, scoop into containers for disposal. Inform authorities immediately if sewers or water courses are contaminated.

---

**VI. Handling and Storage**

---

Store in a cool dry area. Keep out of reach of children and domestic animals.

---

**VII. Exposure Controls/Personal Protection**

---

**Ventilation Protection:** Provide local or general ventilation to keep dust below ACGIH nuisance dust limit of 10 mg/m<sup>3</sup>. Applicators should stand upwind.

**Respiratory Protection:** NIOSH/MSHA approved respirator should be used if dust exposure exceeds level of 10 mg/m<sup>3</sup>.

**Protective Clothing:** None usually required. Those with sensitive skin should use long sleeves and gloves.

**Eye Protection:** Use of safety glasses is recommended.

---

**VIII. Physical and Chemical Properties**

---

**Boiling Point:** Decomposes @ 750 °C      **% Volatiles by vol.:** Non listed

**Melting Point:** 630 (F) °C      **Vapor pressure:** N/A

**Density:** 60 lbs./cub. Ft.      **Reaction w/water:** Not listed

**Flashpoint:** Non flammable

**pH:** Non listed

**Appearance:** Blue and white crystals, slight ammonia odor

**Extinguish Media:** Use media suitable to extinguish source of fire.

**Solubility in water:** 31.6 g/100 g & 68 F

**% Volatiles by vol.:** Non listed.

**Vapor pressure:** N/A

**Reaction w/water:** Not listed

---

**IX. Stability and Reactivity**

---

**Stability:** Stable in normal usage and storage.

**Conditions to avoid:** Do not mix with oxidizable materials.

**Incompatibility:** Non listed

**Hazardous Decomposition Products:** Decomposes on heating to nitrogen oxides.

**Hazardous Polymerization:** Will not occur

---

**X. Toxicology Information**

---

**Ingestion:** Acute oral toxicity (rat) LD50: 6600 mg/kg for potassium sulfate.

---

**XI. Other Information**

---

**Flash Point (Test Method):** Non-flammable

**Auto-ignition Temperature:** Non-applicable

**Hazard rating:**      **Health:** 1      **Fire:** 0      **Reactivity:** 0      **Specific:** N/A

**Flammable Limits (% by volume):**      **Lower:** N/A      **Upper:** N/A

